

To:  
**Meir Dahan**  
**Hila Pharma**

19 April 2020  
**No. 012087.20**

**Certificate No. 012087.20 for Lab Results**

**Aminolab No.:** 028288.20-M – 028289.20-M  
**Sampled by:** the client  
**Place of sampling:** --  
**Date of sampling:** --

**Date received:** 5 April 2020  
**Start of test:** 5 April 2020  
**End of test:** 10 April 2020  
**Storage temp.:** N/R

**Name of test:**

**Air test – Settle Plates**

**General comments:**

**TSA air plates – Batch 9319154, Date of expiration: 2 June 2020**

**References:**

1. All the TSA plates were incubated at a temperature of 30-35 degrees Celsius for the identification of microbes and molds.
2. Aminolab Procedure Number: 50W1143 Air and Surface Monitoring of Live Microorganisms.

Approved by: Dr. Helena Ashkenazi – Department Head

Signature:



Handwritten signature in blue ink.

The data shown in this document should be referred to in full; they may not be copied or quoted, in all or in part, in other documents.

Page 1 of 2

The detailed data precisely reflect the results of the sample delivered for testing as received at the lab. No use is to be made of the name Aminolab or of its reputation in the context of the data or the findings shown in this document except with its prior, written approval.

**Aminolab No.: 028288.20-M – 028289.20-M**

19 April 2020  
**No. 012087.20**

**Test results:**

Aminolab No.	Description of sampling	Total aerobic microorganisms	Molds
		CFU/plate	CFU/plate
028288.20-M	Air sampling plate – 8 sq.m. room – without substance	17	2
028289.20-M	Air sampling plate – 12 sq.m. room – with substance	8	0
Comments on test:		-	-

**Comments on test:**

(-) = no comments

**Quality assurance:**

The test	Method/standard	Certification/Recognition
Air test – Settle Plates	SOP# 50.WI.143	(-)

**Certifications/Recognitions:**

The laboratory has a certified quality system under ISO/IEC 17025, and it operates according to organized work procedures.

(-) = no certification and no recognition.

Approved by: Dr. Helena Ashkenazi – Department Head



Signature:

*[Handwritten signature]*

The data shown in this document should be referred to in full; they may not be copied or quoted, in all or in part, in other documents.

The detailed data precisely reflect the results of the sample delivered for testing as received at the lab. No use is to be made of the name Aminolab or of its reputation in the context of the data or the findings shown in this document except with its prior, written approval.

**\* End of Test Certificate \***